

## PATENT

**AMENDMENT(S) TO THE CLAIMS**

1. (Currently amended) A container comprising:
- a pocket;
  - a drawer slidable relative to said pocket in an axial direction between a closed position within said pocket and an opened position at least partly out of said pocket; and
  - a latch mechanism having a first latch component on said pocket and a second latch component on said drawer;
- ~~one of said first latch components~~ component being a track component disposed in said pocket, including:
- a nest;
  - an entrance track leading to said nest;
  - an exit track from said nest; and
  - a redirector associated with said nest and said tracks; and
- ~~the other of said second latch components~~ component being a follower disposed in said drawer, movable along said tracks and movable into and out of said nest upon transition from said entrance track to said exit track;
- said track component being substantially fixed relative to ~~the one of said~~ pocket ~~and said drawer which it is on~~; and
- said follower being translatable transverse to said axial direction with respect to ~~the one of the said pocket and said drawer which it is on~~.
2. – 3. (Cancelled)
4. (Currently amended) The container of claim 1 ~~3~~, said drawer having an inner end and said follower disposed at said inner end.
5. – 7. (Cancelled)
8. (Currently amended) The container of claim 1 ~~7~~, said pocket having a spring engaged by said drawer for urging said drawer outwardly from said pocket.

## PATENT

9. (Currently amended) The container of claim 1 7, said track component including a guide leading into said entrance track.

10. (Currently amended) The container of claim 1 7, said pocket having a top with an inner surface, and said track component disposed on said inner surface.

11. (Original) The container of claim 10, said drawer defining a slot transverse to said axial direction, and said follower disposed slidably in said slot.

12. (Currently amended) A cosmetic container comprising:

a pocket having a bottom, a top, opposed sides between said bottom and said top and an end, said pocket having an open end;

a drawer defining at least one compartment for a cosmetic, said drawer being slidable in an axial direction relative to said pocket between an opened position in which said drawer is at least partly exposed out of said pocket and a closed position in which said drawer is contained in said pocket; and

a latch mechanism having a first latch component on said pocket and a second latch component on said drawer;

~~one of said first latch components~~ component being a track component disposed in said pocket, including a wall defining a substantially enclosed space with a portal in said wall, a nest in said space, said nest defining a notch, an entrance track from said portal to said nest, an exit track from said nest to said portal, and a redirector associated with said nest and said tracks; and

~~the other of said second latch components~~ component being a follower disposed in said drawer, movable along said tracks and guided by said redirector to move into and out of said notch upon transition from said entrance track to said exit track; and

said track component being substantially fixed relative to ~~the one of said pocket and said drawer which it is on~~; and the follower being translatable transverse to said axial direction with respect to ~~the one of said pocket and said drawer which it is on~~.

## PATENT

13. (Cancelled)

14. (Currently amended) The cosmetic container of claim ~~12~~ 13, said drawer having an inner end defining a slot, and said follower disposed for movement in said slot.

15. (Original) The cosmetic container of claim 14, said pocket having a spring engaged by said drawer for urging said drawer outwardly from said pocket.

16. (Original) The cosmetic container of claim 15, said track component including a guide leading into said entrance track.

17. (Original) The cosmetic container of claim 16, said pocket having a top with an inner surface, and said track component disposed on said inner surface.

18. (Previously presented) The cosmetic container of claim 12, said redirector including a first surface for guiding said follower into said notch from said entrance track, and a second surface for guiding said follower into said exit track from said notch.

19. (Currently amended) A method for ~~closing, latching, unlatching and opening~~ using a cosmetic container, comprising steps of:

providing a pocket and a drawer slidable into the pocket;

providing a push-to-latch, push-to-unlatch latch mechanism including a track component on the pocket and a follower component on the drawer;

providing a cosmetic in the drawer;

inserting the drawer into the pocket;

pushing the drawer to a fully inserted position and releasing the drawer to latch the mechanism; ~~and~~

from a latched position pushing the drawer to a fully inserted position and releasing the drawer from the fully inserted position to unlatch the mechanism; and

exposing the cosmetic contained in the drawer.

**PATENT**

20. (Original) The method of claim 19, including pulling the drawer from the unlatched position to a fully opened position.